

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	4	L6 and exclud\$3 near6 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:22
L6	5453	370/352.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:22
L5	4	L4 and exclud\$3 near6 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:22
L1	3716	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:22
L4	206	(L1 or L2) and domain near5 (identity or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:15
L3	4	(L1 or L2) and compar\$3 near6 domain near5 (identity or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:12
S1	1331	address near5 domains and (address near5 translat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 13:11
L2	3314	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:11
S87	161	S86 and (@AD < "20011009" or @PRAD < "20011009" or @RLAD < "20011009")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:55

## EAST Search History

S20	358	S19 and (@AD < "20011009" or @PRAD < "20011009" or @RLAD < "20011009")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:55
S86	243	address near6 translat\$3 near7 (retain\$3 or keep\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:54
S85	12	NAT near6 retain\$3 near6 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 11:54
S84	79	S83 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:45
S83	135	S82 and establish\$3 near6 (communication or call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:45
S82	164	call near6 setup near6 (message or request) and domain near5 address and (address near6 translat\$3 or NAT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:45
S77	335	S76 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:45
S81	0	call near6 setup near6 (message or request) same communication near4 direct and domain near5 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:44
S80	10	call near6 setup near6 (message or request) same establish\$3 near6 communication near4 direct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:43
S76	626	call near6 setup near6 (message or request) and address near4 translat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:42

## EAST Search History

S79	66	S78 and establish\$3 near6 communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:37
S78	98	S77 and domain near6 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:37
S75	7	S74 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 14:37
S74	18	call near6 setup near6 (message or request) same domain near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:14
S73	1	call near6 set-up near6 (message or request) same domain near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:14
S72	22	S71 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 12:14
S57	705	S56 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/12 10:47
S71	50	remov\$3 near6 domain near5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 10:46
S70	92	S68 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/08 15:59

## EAST Search History

S69	2	S68 same establish\$3 near6 (communication or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:59
S60	9	S59 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/08 15:59
S68	238	without near6 domain near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:58
S67	15	domain near4 address with establish\$3 near6 path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:58
S59	43	domain near4 address with establish\$3 near6 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:53
S66	0	exclud\$3 near4 (address or domain) same establish\$3 near6 path and domain near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:50
S65	0	exclud\$3 near4 (address or domain) same establish\$3 near6 communication and domain near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:50
S64	0	exclud\$3 near4 (address or domain) with establish\$3 near6 communication and domain near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:50

## EAST Search History

S63	12	S57 and set-up near6 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/08 15:47
S62	0	S57 and call near4 set-up near6 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/08 15:47
S61	2	domain near4 address with setup near6 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:46
S58	0	S56 same establish\$3 near6 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:24
S56	1537	exclud\$3 near6 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:23
S55	4	S54 and (@AD < "20011009" or @PRAD < "20011009")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2007/02/08 15:19
S54	22	exclud\$3 near6 domain with (path or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:19
S44	457	S43 and (@AD < "20011009" or @PRAD < "20011009" or @RLAD < "20011009")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/08 15:17